

APPLICATION FOR PATENT

Inventor: Itzhak Lif

Title: IMPROVED METHOD FOR MATCHMAKING SERVICE

5 FIELD AND BACKGROUND OF THE INVENTION

The present invention relates to a method for matching individuals based on the physical appearance of at least one of the individuals

In many known matchmaking systems and methods, actual visual information is not used, and is only described in words: "blue eyes", "auburn hair", less often "oval face", "cute dimple", by way of example. The criteria for gathering and providing such textual information on the visual aspects of personal appearance are dictated by a limited space allotted by computer systems, the system designers and managers.

In many popular Internet matchmaking systems in use today, personal
15 data of an individual who is a prospective match is classified into the categories of age, height, weight, skin color, ethnic background, level of physical activity or exercise, eye color, hair color, specific body part measurements, eye-glass wear status, smoking/non-smoking status, and a personal entry wherein the object individual can enter a short personal message
20 or subjective description. Most of the system database is actually taken up by

based on various pre-selected physical criteria preferences, such that what is often most important to the user – personal appearance and, especially, facial features – is left largely to chance.

There is therefore a recognized need for, and it would be highly advantageous to have, a method for matchmaking that provides its users results based on their physical and facial visual requirements and allows for a significantly more accurate personal matching rate than methods known heretofore. It would be of further advantage if such a method would be enjoyable, quick and simple to use.

SUMMARY OF THE INVENTION

The present invention is a method for image-based matchmaking of a searcher and prospective candidates, the method including: (a) providing an image of each of the candidates; (b) analyzing the image of each the candidates to define physical characteristics; (c) storing the physical characteristics, and (d) selecting at least one potential match between the searcher and the candidates based on the characteristics.

According to further features in the described preferred embodiments, the inventive method further includes: (e) displaying the image of each potential match.

According to further features in the described preferred embodiments, the image is a compiled image.

According to further features in the described preferred embodiments, the method further includes: (f) selecting a matching candidate for the searcher based on
5 the displaying of the image.

According to further features in the described preferred embodiments, the selecting is performed using at least one pre-defined selection criterion.

According to further features in the described preferred embodiments, the selecting is performed by a computer.

According to further features in the described preferred embodiments, the at least one pre-defined selection criterion includes a criterion of like physical characteristics between the searcher and the prospective candidates.

According to further features in the described preferred embodiments, the at least one pre-defined selection criterion includes a selection criterion based on
15 correlative data on matching preferences.

According to further features in the described preferred embodiments, the at least one pre-defined selection criterion includes at least one selection preference obtained from the searcher.

According to further features in the described preferred embodiments, the image
20 is constructed from a set of physical appearance information of one of the candidates.

According to further features in the described preferred embodiments, each set of physical appearance information is obtained from a questionnaire pertaining to one of the candidates.

According to further features in the described preferred embodiments, the
5 questionnaire provides physical profile building information.

According to further features in the described preferred embodiments, the method further includes: (e) building and displaying a physical profile for each potential match.

According to further features in the described preferred embodiments, the
10 analyzing of the image includes quantification of the physical characteristics.

According to further features in the described preferred embodiments, the
analyzing of the physical characteristics is carried out according to a degree of
likeness.

According to further features in the described preferred embodiments, the
15 providing of an image of each of the candidates is accomplished by filling out
a form.

According to further features in the described preferred embodiments, the form is
a questionnaire.

According to further features in the described preferred embodiments, the form is
20 filled out by the subscriber to a system based on the matchmaking method.

According to further features in the described preferred embodiments, step (a) is
accomplished by analyzing at least one picture using a computer.

According to further features in the described preferred embodiments, the providing of an image of each of the candidates includes acquiring visual information selected from the group consisting of two dimensional and three dimensional information.

5 According to further features in the described preferred embodiments, the acquiring of information includes acquiring facial information.

According to further features in the described preferred embodiments, the acquiring of information includes acquiring body information.

10 According to further features in the described preferred embodiments, the method further includes: (e) providing statistical data on each of the candidates.

According to further features in the described preferred embodiments, the method further includes: (e) providing at least one referrer by the searcher.

According to further features in the described preferred embodiments, the at least one referrer is a potential searcher.

15 According to further features in the described preferred embodiments, the at least one referrer is a prospective candidate.

According to further features in the described preferred embodiments, the method further includes: (f) specifying a gender of the at least one referrer.

20 According to further features in the described preferred embodiments, the method further includes: (f) providing information on the searcher by the at least one referrer.

According to further features in the described preferred embodiments, the information is selected from the group of information consisting of verbal and written information.

According to further features in the described preferred embodiments, the information is a recommendation of the searcher.

BRIEF DESCRIPTION OF THE DRAWINGS

The invention is herein described, by way of example only, with reference to the accompanying drawings. With specific reference now to the drawings in detail, it is stressed that the particulars shown are by way of example and for purposes of illustrative discussion of the preferred embodiments of the present invention only, and are presented in the cause of providing what is believed to be the most useful and readily understood description of the principles and conceptual aspects of the invention. In this regard, no attempt is made to show structural details of the invention in more detail than is necessary for a fundamental understanding of the invention, the description taken with the drawings making apparent to those skilled in the art how the several forms of the invention may be embodied in practice.

In the drawings:

FIG. 1 is a diagram illustrating a graphic questionnaire for use in conjunction with the present invention.

FIGS. 2 and 3 illustrate pages of a computer-based questionnaire in one of the embodiments in the method of the invention.

DESCRIPTION OF THE PREFERRED EMBODIMENTS

5 The principles and operation of the improved method for matchmaking according to the present invention may be better understood with reference to the drawings and the accompanying description.

Before explaining at least one embodiment of the invention in detail, it is to be understood that the invention is not limited in its application to the details of construction and the arrangement of the components set forth in the following description or illustrated in the drawing. The invention is capable of other embodiments or of being practiced or carried out in various ways. Also, it is to be understood that the phraseology and terminology employed herein is for the purpose of description and should not be regarded as limiting.

15

As used herein, the term "degree of likeness" refers to a relative measure of resemblance between two objects.

20 The term "graphic user interface" refers to any computer graphics representing computer files, functions and commands.

In the method of the invention, there are various ways of obtaining visual data on the physical characteristics of a candidate.

1. Subscriber Questionnaire.

The subscriber is asked to enter his or her visual data using a questionnaire.

5 This procedure is similar to a facial appearance construction kit (e.g., Identikit) used by police to construct the appearance of a suspect. This approach puts the work (and honesty/objectiveness) on the subscriber side.

2. Automated computerized picture analysis.

A subscriber submits his or her photo(s), including face and body view(s).

10 Dedicated software then analyzes the photo(s) and extracts, using a vision algorithm, the specific facial and body attributes.

3. Manual picture analysis.

In this approach, the subscriber submits photo(s) as mentioned in the previous approach; matchmaking service personnel, who also fill in the questionnaire

15 mentioned in the first approach, manually analyze the picture.

4. The subscriber goes in person to the service provider.

The subscriber comes to the service provider offices (or a location specified by the service provider), has his or her picture taken and proceeds with one of the above-mentioned options 2 and 3. Alternatively, the subscriber is viewed in

20 person and proceeds with the above-mentioned option 1 (when proceeding with option 1, the service provider employee fills out the questionnaire for the subscriber, see option 3 above).

The questionnaire

In the first option, the subscriber registers with the matchmaking system and fills out a questionnaire, part of it including detailed visual face and body descriptions.

5 Filling in the face part of the questionnaire, the subscriber describes his or her face by choosing pre-defined facial parts, like eyebrows, eyes structure, location and color, nose structure and location, mouth structure and location, overall face build, skin complexion, mustache and beard (for men), hair texture, length and color, etc.

10 As mentioned, this method is similar to the Identikit appearance building procedure. The subscriber might have the choice of defining his or her desired spouse face (or part of it) or have no preferences about this at all.

15 When filling in the body part of the questionnaire, the subscriber describes his or her body by choosing pre-defined body parts, like shoulders, breast (for women), waist, bottom, arms and legs, overall build, etc. The subscriber might have the choice of defining his or her desired spouse body (or part of it) or have no preferences at all.

The Suggested Preferences

20 This is actually a mathematical function, where the input is a subscriber profile and the output is another subscriber profile (or part of it). In this context, the method of the invention addresses visual data but it is worthy to

note that the function can be extended to other aspects of the subscriber's information. For example, the function might take into account the geographical location of the subscriber, or the educational level thereof. Similarly, this function might recommend attributes that are not included in the detailed visual information, for example, and recommend personality traits etc. (e.g., recommend a dominant person for a passive person and vice versa).

Also, this function might suggest priority levels for each trait recommended. For example, it might recommend high priority for similar eye color and low priority for similar eyebrows appearance.

This function might be any combination of the following:

Similar attributes

The face category, for example, contains choices of similar eyes (e.g., color, shape, location), similar nose (e.g., shape and location), similar mouth (e.g., shape and location) etc. In the body category, similar body attributes can include similar height (where the male is somewhat taller than the female) and similar body build (e.g., broad build to broad build, slim build to slim build, etc.)

Statistical data

Based on empirical data obtained statistically from previous subscribers, this function recommends attributes that previous subscribers with similar attributes preferred. For example: if the majority of the slim males with brown-green eyes and a mustache preferred slightly overweight females then

the recommendation for a slim male with brown-green eyes and a mustache might be a slightly overweight female.

Referral system

The subscriber is also asked to bring N (a number) of specific referrers.

N is a non-zero positive integer set by the service provider or by the matchmaking system. The referrers should meet specific criteria set, per subscriber, by the matchmaking system. These referrers review part (or all) of the subscriber profile and/or write a recommendation about the subscriber or just recommend. The subscriber is asked to bring referrers that should be:

A. Single and not subscribed to the system

The referrers are also potential customers. When they are aware of the service they might subscribe to the system themselves. This might reduce (or even eliminate) the need for media advertisement. Even if a small fraction of the referrers subscribes to the system, the database building rate could (in certain situations, i.e., depending on the value of N and the percentage of referrers who actually subscribe to the service) be considerably faster than "traditional" systems, which is potentially beneficial to both the subscribers and the service providers.

B. Be of specific gender

When a user subscribes to the system, the number of males and number of females is counted resulting in one of the following three situations:

1. Significantly more males than females

In this case, the new subscriber is asked to bring female referrers, thereby making an effort to correct the imbalance.

2. Equal (or "close" to equal) number of males and females

In this case, the new subscriber is asked to bring an equal number of female
5 and male referrers (If N is odd, the new subscriber is considered, for this calculation only, as a "referrer"), such that an effort is made to preserve this balanced situation.

3. Significantly more females than males

In this case the new subscriber is asked to bring male referrers, thereby
an effort is made to correct the imbalance.

Referring now to the drawings, Figure 1 illustrates a graphic
questionnaire according to the present invention. In one embodiment in the
method of the invention, a user of the matchmaking method visits a
15 matchmaking facility that employs the matchmaking method of the invention.
At the facility, the user is presented with a graphic questionnaire, an
exemplary form of which is pictured in Fig. 1. Form field 10 consists of
instruction fields, or prompts, like prompts 20 and 40, multiple choice fields
30 and 50 and message fields, like box 70. The user is prompted to start
20 selecting user preferences for a sought mate by instruction 20, asking to
choose a face type. Possible face types are presented in multiple choice field

30 containing graphic illustrations of facial types 31 through 35, labeled A through E, correspondingly.

The category, on form field 10, eye type, includes instruction field 40 and multiple choice field 50, which contains graphic illustrations of eye types 51 through 56, labeled A through F, correspondingly. The eye type graphics can be sections of high-resolution film or digital photographs.

Similarly, a category of form field 10 relating to eye color can contain multiple choices represented by high-resolution, close-up photographs of real human eyes of numerous possible variations in color.

Upon conclusion of form field 10 by the user, a result form field 70 is compiled and displayed either at the end of every progressive update or after each selection.

The matchmaking facility staff member fills out a questionnaire describing the face of the new subscriber and then starts the search for prospective matches by using composite 72 as a standard for comparison with photographs or other stored visual data of each of the members that have subscribed and participated in the matchmaking based on the method of the invention.

Another embodiment of the method of the invention is computer-network based or interactive-television based. Participants in the matchmaking organization based on the method of the invention have their face and body photographed preferably onto high-resolution film or by a digital camera. The

photographs are entered into the organization's image processing computer, which has been pre-loaded with image-processing and image-storing software. The image processing software also includes image analysis programs that are capable of dividing an image of a person or person's face into basic elements, like the eyes, the area of the nose, of the mouth, etc. The image analysis results are assigned their own unique identifiers and stored into the reference database on the central computer.

Thus, after a member by name of Julie Smith is photographed and entered into the central computer database, the unique file in the database bears her name, her personal data and all the files of each element, or combination of elements derived from the photographs. File name 1JS0323FYU can stand for female (1), a unique name initial-member number (JS0323), element for mouth area (F), graphic type (Y) and mouth appearance type (U).

The search for a mate begins with the searcher accessing the organization's computer via the Internet, or a dedicated access line, or a terminal at one of the matchmaking organization's branches. These, in turn, are connected to the central processing computer at the organization's headquarters. The user signs on to the computer, identifies himself with his own user number, and is allowed into the computer by means of graphic user interface software.

The user further specifies a start of a new search and is guided by message and dialog boxes to form field 10. The central computer gathers the user's preferences by prompting the user with instruction fields like 20 and 40, and the user choosing his choice of appearance elements from multiple choice fields like 30 and 50.

The graphic user interface can alternatively be a page, or form field 100 illustrated in Figure 2. The form has a navigational field 101 for accessing previous or forthcoming pages or steps of the process. On the left of form field 100, a field 102 contains labeled HTML hover buttons with labels corresponding to preferred facial elements. A field 104 contains buttons for a desired relative position of the mouth of a candidate. Field 120 contains a set of different mouth outlines, with an outline chosen by activating a corresponding radio button 124. In a field 110 there are disposed variations of mouth side views, with a variation chosen by a radio button 112. In a facial appearance elements field 102 there are hover buttons corresponding to appearance categories. In order to proceed to form field 100 that gathers data on preferred mouth features, button 103 ("Mouth") on form 102 was clicked on a page previous to form field 100 page.

A field 106 in Figure 2 displays results of selecting preferred appearance elements from fields 104, 110 and 120. Field 106 is labeled "Current Face" and contains a resultant side view 108 and frontal view 109 of preferred facial appearance.

Figure 3 illustrates a form field **200** that is used for gathering selected preferences pertaining to shoulders. On the left side of form field **200** there is form **202** containing buttons corresponding to body elements. The right side of form field contains buttons for a desired relative position of a preferred element. The bottom of form field **200** has a navigation field **201** with buttons for advancing to next page, returning to previous page and obtaining help. Field **210** contains a set of different shoulder outlines, with an outline chosen by activating a corresponding radio button **212**.

A field **220** in Fig. 3 displays results of selecting preferred appearance elements from fields **204** and **210**. Field **220** is labeled "Current Body" and contains a resultant view **223** preferred shoulder appearance.

With each confirmation of searcher choice, the central computer categorizes and identifies the preferred form of each appearance element and compiles the preferences into a code, for example, an alphanumeric string A23B1C22D0422E12F102G32H44I21J3K09, where A through K can be designators for different body elements and their types with their corresponding numerical classification.

At the end of the user input, the central computer launches an element matching procedure that can involve image matching and analysis algorithms. Using refined image optimization codes of the image elements and actual image elements themselves that the user specified, the central computer

compares the user preferences to all personal image entries in its database and eventually finds one or more entries that agree with the user's personal taste.

5 Although the invention has been described in conjunction with specific
embodiments thereof, it is evident that many alternatives, modifications and
variations will be apparent to those skilled in the art. Accordingly, it is
intended to embrace all such alternatives, modifications and variations that fall
within the spirit and broad scope of the appended claims. All publications,
10 patents and patent applications mentioned in this specification are herein
incorporated in their entirety by reference into the specification, to the same
extent as if each individual publication, patent or patent application was
specifically and individually indicated to be incorporated herein by reference.
15 In addition, citation or identification of any reference in this application shall
not be construed as an admission that such reference is available as prior art to
the present invention.